

2024



Hardy Tool India

Manufacturer & Exporter of Fasteners



**ALWAYS
BE READY
WITH YOUR
TOOLS**

FASTENERS FOR

CARPENTARY | CONSTRUCTION | WORKSHOP
AUTOMOBILES | ELECTRONICS | LEATHER GOODS

HARDY FASTENERS.COM

LIST OF PRODUCTS

HAND DRIVEN NAILS

- COMMON NAILS
- SINKER NAILS
- BOX NAILS
- DUPLEX NAILS
- FINISH NAILS
- ROOFING NAILS
- JOIST HANGER NAILS
- DECKING NAILS
- CASING NAILS
- DRYWALL NAILS

COLLATED NAILS

- 21° PLASTIC COLLATED STRIP NAILS
- 15° WIRE COLLATED COIL NAILS
- 15° WIRE COLLATED PALLET COIL NAILS
- 15° WIRE COLLATED SIDING/FENCING COIL NAILS
- 15° WIRE COLLATED ROOFING COIL NAILS
- 33° PAPER TAPE CLIPPED HEAD NAILS

COMMON NAILS

Applications: Common nails are the most popular nails in use today. They are the basic nail for most construction. These are usually available with flat heads and diamond points, common nails are used primarily for structural framing, scaffolding and general carpentry

Material: Carbon Steel or Stainless Steel

Shank Type: Round Smooth Shank

Head Type: Flat Head

Point Type: Diamond Point

Finish: Bright, Zinc Coated or other coating as specified

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Common 2D	0.071	1	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Common 3D	0.080	1-1/4	
Common 4D	0.099	1-1/2	
Common 5D	0.099	1-3/4	
Common 6 D	0.113	2	
Common 7D	0.113	2-1/4	
Common 8D	0.131	2-1/2	
Common 10D	0.148	3	
Common 12D	0.148	3-1/4	
Common 16D	0.162	3-1/2	
Common 20D	0.189	4	
Common 30D	0.207	4-1/2	
Common 40D	0.225	5	
Common 50D	0.244	5-1/2	
Common 60D	0.261	6	

Note: All Dimensions are in Inch

SINKER NAILS

Applications: Steel wire nails with a countersunk head, diamond point, smooth shank. Used for General Construction, Carpentry and Framing. They are generally shorter and thinner than common nails. The vinyl coating on these nails provides lubrication when driving and increases holding power.

Material: Carbon Steel or Stainless Steel

Shank Type: Round Smooth Shank

Head Type: Flat Counter shank Cross Hetch Head

Point Type: Diamond Point

Finish: Green Vinyl coating or other coatingas specif

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Sinker 3D	0.067	1-1/8	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Sinker 4D	0.080	1-3/8	
Sinker 5D	0.086	1-5/8	
Sinker 6 D	0.092	1-7/8	
Sinker 7D	0.099	2-1/8	
Sinker 8D	0.113	2-3/8	
Sinker 10D	0.120	2-7/8	
Sinker 12D	0.135	3-1/8	
Sinker 16D	0.148	3-1/4	
Sinker 20D	0.177	3-3/4	
Sinker 30D	0.192	4-1/4	
Sinker 40D	0.207	4-3/4	
Sinker 60D	0.244	5-3/4	

Note: All Dimensions are in Inch

BOX NAILS

Applications: Box Nails are used for light construction and rough works in soft woods. Box Nails are the same general design as common nails but are made of a smaller wire gauge. Because of their smaller diameter, they are easily driven and less likely to split wood.

Material: Carbon Steel or Stainless Steel

Shank Type: Round Deformed and Smooth Shank

Head Type: Flat Head Point

Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Box 2D	0.067	1	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Box 3D	0.075	1-1/4	
Box 4D	0.08	1-1/2	
Box 5D	0.08	1-3/4	
Box 6 D	0.099	2	
Box 7D	0.099	2-1/4	
Box 8D	0.113	2-1/2	
Box 10D	0.128	3	
Box 12D	0.128	3-1/4	
Box 16D	0.135	3-1/2	
Box 20D	0.148	4	
Box 30D	0.148	4-1/2	
Box 40D	0.162	5	

Note: All Dimensions are in Inch

DUPLEX NAILS

Applications: Duplex Nails are used for scaffolding, forms and other temporary construction. They are easy to pull, safe and dismantling time, lumber and nails.

Material: Steel

Shank Type: Round Smooth Shank

Head Type: Flat Double Head

Point Type: Diamond Point Finish: Bright, Zinc Coated

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Duplex 6 D	0.113	1-3/4	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Duplex 8D	0.131	2-1/4	
Duplex 10D	0.148	2-3/4	
Duplex 12D	0.148	2-7/8	
Duplex 16D	0.162	3	
Duplex 20D	0.189	3-1/2	

Note: All Dimensions are in Inch

FINISH NAILS

Applications: Finish nails are those made for interior trim, finish carpentry, cabinetwork, and furniture building. Their small cupped head help to position the nail set to counter shank the head of the nail below the surface of the wood.

Material: Steel

Shank Type: Round Smooth Shank

Head Type: Brad Head

Point Type: Diamond Point

Finish: Bright

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Finish 2D	0.058	1	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Finish 3D	0.067	1-1/4	
Finish 4D	0.072	1-1/2	
Finish 5D	0.072	1-3/4	
Finish 6 D	0.092	2	
Finish 7D	0.092	2-1/4	
Finish 8D	0.099	2-1/2	
Finish 10D	0.113	3	
Finish 12D	0.113	3-1/4	
Finish 16D	0.120	3-1/2	
Finish 20D	0.135	4	

Note: All Dimensions are in Inch

ROOFING NAILS

Applications: Roofing Nails are designed for the application of asphalt and fiberglass shingles on new construction and re roofing jobs. Roofing nails are corrosion resistant. Their broad heads resist pulling through shingles during high wind.

Material: Carbon Steel

Shank Type: Round Smooth Shank

Head Type: Flat Reinforced Head

Point Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Roofing 5/8"	0.120	5/8	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Roofing 3/4"	0.120	3/4	
Roofing 7/8"	0.120	7/8	
Roofing 1"	0.120	1	
Roofing 1-1/4"	0.120	1-1/4	
Roofing 1-1/2"	0.120	1-1/2	
Roofing 1-3/4"	0.120	1-3/4	
Roofing 2"	0.120	2	
Roofing 2-1/4"	0.120	2-1/4	
Roofing 2-1/2"	0.120	2-1/2	
Roofing 3"	0.120	3	

Note: All Dimensions are in Inch

JOIST HANGER NAILS

Applications: Joist Hangers nails are specially made for use with joist hangers. These nails have specific head sizes, thickness, and steel and shank designs.

Material: Carbon Steel

Shank Type: Round Smooth and Barbed Shank

Head Type: Flat Head

Point Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Joist 1-1/4" x 11 GA	0.120	1-1/4	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Joist 1-1/4" x 9 GA	0.148	1-1/4	
Joist 1-1/2" x 11 GA	0.120	1-1/2	
Joist 1-1/2" x 10-1/4 GA	0.131	1-1/2	
Joist 1-1/2" x 9 GA	0.148	1-1/2	

Note: All Dimensions are in Inch

DECKING NAILS

Applications: Decking Nails are designed with a slightly domed head, to ensure the outer perimeter of the nail head just penetrates the timber and therefore eliminates any protrusion, which may affect foot traffic. The helical threaded shank provides for vastly improved holding power to ensure the decking timber is hold down firmly.

Material: Carbon Steel

Shank Type: Round Smooth & Mechanically Deformed Shank

Head Type: Casing Head

Point Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Deck 6D	0.120	2	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns /Pallet 50LB: 48 Ctns / Pallet
Deck 8D	0.120	2-1/2	
Deck 10D	0.135	3	
Deck 12D	0.135	3-1/4	
Deck 16D	0.148	3-1/2	
Deck 20D	0.177	4	

Note: All Dimensions are in Inch

CASING NAILS

Applications: Casing Nails with their deep, wedge shaped heads, are used for interior trim, finish carpentry, cabinet making and furniture.

Material: Carbon Steel

Shank Type: Round Smooth shank

Head Type: Flat counter sunk cupped head

Point Type: Diamond Point

Finish: Bright or zinc coated

Standard: ASTM F1667



Item	Diameter	Length	Packaging
Casing 4D	0.080	1-1/2	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Casing 6 D	0.099	2	
Casing 7D	0.099	2-1/4	
Casing 8D	0.113	2-1/2	
Casing 10D	0.128	3	
Casing 12D	0.128	3-1/4	
Casing 16D	0.135	3-1/2	

Note: All Dimensions are in Inch

DRYWALL NAILS

Applications: The wide, heads on these hammers create a dimple around the nail head that facilitates the application of joint compound. This nails are designed to attach drywall to wooden.

Material: Carbon Steel

Shank Type: Round Smooth & mechanically deformed shank

Head Type: Flat slightly counter sunk head

Point Type: Diamond Point

Finish: Bright

Standard: ASTM F1667




Item	Diameter	Length	Packaging
Drywall 1-1/4" x 12.5G	0.099	1-1/4	1LB x 25Packets: 64 Ctns / Pallet 5LB x 8Packets: 42 Ctns / Pallet 50LB: 48 Ctns / Pallet
Drywall 1-3/8" x 12.5G	0.099	1-3/8	
Drywall 1-1/2" x 12.5G	0.099	1-1/2	
Drywall 1-5/8" x 12.5G	0.099	1-5/8	
Drywall 1-3/4" x 12.5G	0.099	1-3/4	
Drywall 2" x 12.5G	0.099	2	

Note: All Dimensions are in Inch

21° PLASTIC COLLATED STRIP NAILS

Applications: Framing, Sheathing, Sub Floors, Roof Decking




Material: Carbon Steel

Shank Type: Round Smooth, Ring
& Screw Shank

Head Type: Flat Head

Point Type: Diamond Point

Finish: Bright, Electro galvanizing
& Hot Dip Galvanizing



Item	Size	Diameter	Length	Nails /Strip	Qty/Ctns	Ctns/Pallet
21° Plastic Collated Nails	0.113" x 2"	0.113	2	25	4M, 5M	48
	0.113" x 2-1/8"	0.113	2-1/8	25		
	0.113" x 2-1/4"	0.113	2-1/4	25		
	0.113" x 2-3/8"	0.113	2-3/8	25		
	0.113" x 2-1/2"	0.113	2-1/2	25		
	0.120" x 2-3/8"	0.120	2-3/8	25		
	0.120" x 2-1/2"	0.120	2-1/2	25		
	0.120" x 2-3/4"	0.120	2-3/4	25		
	0.120" x 3"	0.120	3	25		
	0.120" x 3-1/4"	0.120	3-1/4	25		
	0.131" x 3"	0.131	3	25		
	0.131" x 3-1/4"	0.131	3-1/4	25		
	0.131" x 3-3/8"	0.131	3-3/8	25		
	0.131" x 3-1/2"	0.131	3-1/2	25		
	0.148" x 3"	0.148	3	25		
	0.148" x 3-1/4"	0.148	3-1/4	25		
	0.148" x 3-1/2"	0.148	3-1/2	25		
	0.162" x 3"	0.162	3	25		
	0.162" x 3-1/4"	0.162	3-1/4	25		
	0.162" x 3-1/2"	0.162	3-1/2	25		

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:

HITACHI: NR83AA3, NR90AC2

GRIPRITE: GRTRH350, **DUOFAST:** NSP350F1


DUOFAST: NSP350F, **SENCO:** SN60

STANLEY: F21PL, **MAKITA:** AN922

Most other 21° Plastic Strip Nailers

15° WIRE COLLATED COIL NAILS

Applications: Framing, Sheathing, Sub Floors, Roof Decking



Material: Carbon Steel

Shank Type: Round Smooth, Ring & Screw Shank

Head Type: Flat Head

Point Type: Diamond, Blunt Diamond, Chisel Point

Finish: Bright, Electro galvanizing and Hot Dip Galvanizing

Item	Size	Diameter	Length	Nails /Coil	Qty/Ctns	Ctns/Pallet
15° Wire Collated Framing Coil Nails	0.113" x 2-3/8"	0.113	2-3/8	200, 225, 250	3M, 4M, 4.5M, 5M	35, 42, 48
	0.113" x 2-1/2"	0.113	2-1/2			
	0.120" x 2-1/2"	0.120	2-1/2			
	0.120" x 3"	0.120	3			
	0.120" x 3-1/4"	0.120	3-1/4			
	0.131" x 2-1/2"	0.131	2-1/2			
	0.131" x 3"	0.131	3			
	0.131" x 3-1/4"	0.131	3-1/4			
	0.131" x 3-1/2"	0.131	3-1/2			

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:


GRIP RITE: GRTC70, GRTC90

HITACHI: NV90AB2, **BOSTICH:** N80CB-1

Most other 15° Wire Coiler Nailers

15° WIRE COLLATED PALLET COIL NAILS

Applications: Pallet Nails are designed for Construction and repair of wood Pallets.



Material: Carbon Steel

Shank Type: Round Smooth, Ring & Screw Shank

Head Type: Flat Head

Point Type: Diamond, Blunt Diamond

Finish: Bright

Item	Size	Diameter	Length	Nails /Coil	Qty/Ctns	Ctns/Pallet
15° Wire Collated Pallet Coil Nails	0.099" x 1-1/2"	0.099	1-1/2	250, 300	6M, 9M, 7.2M, 12M	42
	0.099" x 2"	0.099	2			
	0.099" x 2-1/4"	0.099	2-1/4			
	0.099" x 2-3/8"	0.099	2-3/8			

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:


GRIP RITE: GRTC70. GRTC90

HITACHI: NV90AB2, **BOSTICH:** N80CB-1

Most other 15° Wire Coiler Nailers

15° WIRE COLLATED SIDING/FENCING COIL NAILS

Applications: Framing, Sheathing, Sub Floors,
Roof Decking



Material: Carbon Steel

Shank Type: Round Smooth, Ring & Screw Shank

Head Type: Flat Head

Point Type: Diamond, Blunt Diamond

Finish: Bright, Electro galvanizing and Hot Dip Galvanizing

Item	Size	Diameter	Length	Nails /Coil	Qty/Ctns	Ctns/Pallet
15° Wire Collated Siding /Fencing Coil Nails	0.083" x 1-1/4"	0.083	1-1/4	348, 300, 350	3.6M, 9M, 10.5M, 14M, 16M	42, 48
	0.083" x 1-1/2"	0.083	1-1/2			
	0.083" x 1-3/4"	0.083	1-3/4			
	0.086" x 1-1/4"	0.086	1-1/4			
	0.086" x 1-3/4"	0.086	1-3/4			
	0.086" x 2"	0.086	2			
	0.090" x 1-1/2"	0.090	1-1/2			
	0.090" x 1-3/4"	0.090	1-3/4			
	0.090" x 2"	0.090	2			
	0.090" x 2-3/16"	0.090	2-3/16			
	0.090" x 2-1/4"	0.090	2-1/4			
	0.090" x 2-3/8"	0.090	2-3/8			
	0.090" x 2-1/2"	0.090	2-1/2			
	0.092" x 1-1/2"	0.092	1-1/2			
	0.092" x 1-3/4"	0.092	1-3/4			
	0.092" x 2"	0.092	2			
	0.092" x 2-3/16"	0.092	2-3/16			
	0.092" x 2-1/4"	0.092	2-1/4			
	0.092" x 2-3/8"	0.092	2-3/8			
	0.092" x 2-1/2"	0.092	2-1/2			

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:



HITACHI: N65AH, **BOSTICH:** N66C

RN46 MAX: CN55

Most other 15° Wire Coiler Nailers

15° WIRE COLLATED ROOFING COIL NAILS

Application: Roofing Nails are designed for the application of asphalt and fiberglass shingles on new construction and re roofing jobs. Roofing nails are corrosion resistant. Their broad heads resist pulling through shingles during high wind.



Material: Carbon Steel

Shank Type: Round Smooth Shank

Head Type: Flat Reinforced Head

Point Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667

Item	Size	Diameter	Length	Nails /Coil	Qty/Ctns	Ctns/Pallet
15° Wire Collated Roofing Nails	0.120" x 3/4"	0.120	3/4	120	7.2M	40, 48, 56
	0.120" x 7/8"	0.120	7/8			
	0.120" x 1"	0.120	1			
	0.120" x 1-1/4"	0.120	1-1/4			
	0.120" x 1-1/2"	0.120	1-1/2			
	0.120" x 1-3/4"	0.120	1-3/4			

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:

Most other 15 Wire Coiler Nailers
HITACHI: NV45AE

o

33° PAPER TAPE CLIPPED HEAD NAILS

Application: They have their heads clipped into halves so that more nails are there in the gun. It can occupy less space than the round head nails. They also have separate nail guns. The difference between both the nail guns is that these have a higher magazine.



Material: Carbon Steel


Shank Type: Round Smooth, Ring & Screw Shank

Head Type: Clipped Head (D Head)

Point Type: Diamond Point

Finish: Bright, Zinc or other coating as specified

Standard: ASTM F1667



Item	Size	Diameter	Length	Nails /Strip	Qty/Ctns	Ctns/Pallet
33° Paper Tape Clipped Head Nails	0.113" x 2-3/8"	0.113	2-3/8	25	2M, 2.5M, 3M, 4M, 5M	48, 100
	0.113" x 2-1/2"	0.113	2-1/2	25		
	0.120" x 2-3/8"	0.120	2-3/8	25		
	0.120" x 2-1/2"	0.120	2-1/2	25		
	0.120" x 3"	0.120	3	25		
	0.120" x 3-1/4"	0.120	3-1/4	25		
	0.131" x 2-1/2"	0.131	2-1/2	25		
	0.131" x 3"	0.131	3	25		
	0.131" x 3-1/4"	0.131	3-1/4	25		
	0.131" x 3-1/2"	0.131	3-1/2	25		

Note: All Dimensions are in Inch

OFFER BEST FIT TOOLS:

SENCO: PRO701XP, **HITACHI:** NR83AA2

GRIP RITE: GRTCH350, **DEWALT:** 51823

BOSTICH: F33PT

PASLODE: F350S

Most other 33° Paper Tape Clipped Head Nailers

HARDY TOOLS INDIA

OFFICE: A-748, 2ND FLOOR, SHASTRI NAGAR, DELHI-110052

MFG UNIT: PLOT NO 13, SWARN PARK INDUSTRIAL AREA, DELHI-110041, INDIA

US OFFICE (HARDY TOOL LLC):1AUER CT, 2ND FLOOR EAST BRUNSWICK, NEW JERSEY 08816

MOBILE: +919315284178

EMAIL: SERVICES@HARDYHARDYFASTENERS.COM, HARDYTOOLINDIA@GMAIL.COM